

## One-Piece Universal Hotsticks

- ◆ Universal Live-Line Hotsticks are "working sticks" that are used as handles for dozens of tools that attach to the end.
- ◆ RUP Hotsticks are available with either Universal Head (Splined) or Threaded Ferrule (Quick Connect) ends for attaching tools.
- ◆ Wing-bolts are included with the Universal Head fittings.
- ◆ Threaded ferrules accept 5/8"-11 Thread, and feature a "hex" head for locking matching tools.
- ◆ These Hotsticks meet **ASTM F711** insulation requirements by surrounding a uni-cell foam core with electrical grade fiberglass reinforced resin.

| Digit >>>   | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|-------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|
| Cat No. >>> | R | H | U | 1 | 1 | 2 | 5 | 0 | 8 | U  | C  | H  |    |    |

  

| Digits 1-3                                                  |
|-------------------------------------------------------------|
| Rauckman Utility Products<br>Hotline Tools, Universal Stick |

  

| Digit 4                        |
|--------------------------------|
| <b>1</b> Single Piece Hotstick |

  

| Digits 5-7         |
|--------------------|
| Pole Diameter      |
| <b>125</b> 1¼" dia |
| <b>150</b> 1½" dia |

  

| Digits 8-9        |
|-------------------|
| Length            |
| <b>04</b> 4 foot  |
| <b>06</b> 6 foot  |
| <b>6H</b> 6½ foot |
| <b>08</b> 8 foot  |
| <b>10</b> 10 foot |
| <b>12</b> 12 foot |
| <b>16</b> 16 foot |
| <b>18</b> 18 foot |

  

| Digit 10                  |
|---------------------------|
| End 1 (Top)               |
| <b>U</b> Universal Head   |
| <b>F</b> Threaded Ferrule |

  

| Digit 11                  |
|---------------------------|
| End 2 (Bottom)            |
| <b>U</b> Universal Head   |
| <b>F</b> Threaded Ferrule |
| <b>C</b> End Cap          |

  

| Digit 12                 |
|--------------------------|
| Options                  |
| <b>H</b> Tool Hanger     |
| <b>T</b> Tie Wire Assist |

  

| Digits 13 & 14                                     |
|----------------------------------------------------|
| Reserved for factory assigned special designations |



Universal Head



Tool Hanger



End Cap



Threaded Ferrule



Tie Wire Assist



HOTLINE TOOLS

## One-Piece Universal Hotsticks — Continued

| ONE-PIECE UNIVERSAL HOTSTICKS |                                                 |           |                |                |                    |
|-------------------------------|-------------------------------------------------|-----------|----------------|----------------|--------------------|
| Catalog №                     | Fittings / Description                          | Pole Dia. | Nominal Length | Overall Length | Approx. Weight lb. |
| <b>RHU112504UC</b>            | Universal Head, End Cap                         | 1¼"       | 4' 0"          | 4' 2"          | 2.3                |
| <b>RHU112504UCT</b>           | Universal Head, End Cap, Tie Wire Assist        | 1¼"       | 4' 0"          | 4' 2"          | 2.5                |
| <b>RHU112504UCH</b>           | Universal Head, End Cap, Pole Hanger            | 1¼"       | 4' 0"          | 4' 2"          | 2.5                |
| <b>RHU112504UUH</b>           | Universal Head, Universal Head, Pole Hanger     | 1¼"       | 4' 0"          | 4' 4"          | 2.5                |
| <b>RHU112506UC</b>            | Universal Head, End Cap                         | 1¼"       | 6' 0"          | 6' 2"          | 3.2                |
| <b>RHU112506UU</b>            | Universal Head, Universal Head                  | 1¼"       | 6' 0"          | 6' 4"          | 3.2                |
| <b>RHU112506UCH</b>           | Universal Head, End Cap, Pole Hanger            | 1¼"       | 6' 0"          | 6' 4"          | 3.2                |
| <b>RHU112506UUH</b>           | Universal Head, Universal Head, Pole Hanger     | 1¼"       | 6' 0"          | 6' 4"          | 3.4                |
| <b>RHU112506UUT</b>           | Universal Head, Universal Head, Tie Wire Assist | 1¼"       | 6' 0"          | 6' 4"          | 3.4                |
| <b>RHU11256HUC</b>            | Universal Head, End Cap                         | 1¼"       | 6' 6"          | 6' 8"          | 3.5                |
| <b>RHU11256HFC</b>            | Threaded Ferrule, End Cap                       | 1¼"       | 6' 6"          | 6' 7"          | 3.6                |
| <b>RHU11256HFF</b>            | Threaded Ferrule, Threaded Ferrule              | 1¼"       | 6' 6"          | 6' 9"          | 4.0                |
| <b>RHU112508FC</b>            | Threaded Ferrule, End Cap                       | 1¼"       | 8' 0"          | 8' 1"          | 4.9                |
| <b>RHU112508UF</b>            | Universal Head, Threaded Ferrule                | 1¼"       | 8' 0"          | 8' 4"          | 4.4                |
| <b>RHU112508UC</b>            | Universal Head, End Cap                         | 1¼"       | 8' 0"          | 8' 2"          | 4.2                |
| <b>RHU112508UU</b>            | Universal Head, Universal Head                  | 1¼"       | 8' 0"          | 8' 4"          | 4.2                |
| <b>RHU112508UCH</b>           | Universal Head, End Cap, Pole Hanger            | 1¼"       | 8' 0"          | 8' 2"          | 4.4                |
| <b>RHU112508UUH</b>           | Universal Head, Universal Head, Pole Hanger     | 1¼"       | 8' 0"          | 8' 4"          | 4.4                |
| <b>RHU112508UUT</b>           | Universal Head, Universal Head, Tie Wire Assist | 1¼"       | 8' 0"          | 8' 4"          | 4.4                |
| <b>RHU112510UC</b>            | Universal Head, End Cap                         | 1¼"       | 10' 0"         | 10' 2"         | 5.1                |
| <b>RHU112510UU</b>            | Universal Head, Universal Head                  | 1¼"       | 10' 0"         | 10' 4"         | 5.1                |
| <b>RHU112510UCH</b>           | Universal Head, End Cap, Pole Hanger            | 1¼"       | 10' 0"         | 10' 2"         | 5.3                |
| <b>RHU112510UUH</b>           | Universal Head, Universal Head, Pole Hanger     | 1¼"       | 10' 0"         | 10' 4"         | 5.3                |
| <b>RHU112510UUT</b>           | Universal Head, Universal Head, Tie Wire Assist | 1¼"       | 10' 0"         | 10' 4"         | 5.3                |
| <b>RHU112512UC</b>            | Universal Head, End Cap                         | 1¼"       | 12' 0"         | 12' 2"         | 6.0                |

- ① Universal Head (U)
- ② Pole Hanger (H)
- ③ Tie Wire Assist (T)
- ④ Threaded Ferrule (F)
- ⑤ End Cap (C)



## One-Piece Universal Hotsticks — Continued

| ONE-PIECE UNIVERSAL HOTSTICKS |                                                 |           |                |                |                    |
|-------------------------------|-------------------------------------------------|-----------|----------------|----------------|--------------------|
| Catalog №                     | Fittings / Description                          | Pole Dia. | Nominal Length | Overall Length | Approx. Weight lb. |
| <b>RHU112512UU</b>            | Universal Head, Universal Head                  | 1¼"       | 12' 0"         | 12' 4"         | 6.0                |
| <b>RHU112512UCH</b>           | Universal Head, End Cap, Pole Hanger            | 1¼"       | 12' 0"         | 12' 2"         | 6.2                |
| <b>RHU112512UUH</b>           | Universal Head, Universal Head, Pole Hanger     | 1¼"       | 12' 0"         | 12' 4"         | 6.2                |
| <b>RHU112512UUT</b>           | Universal Head, Universal Head, Tie Wire Assist | 1¼"       | 12' 0"         | 12' 4"         | 6.2                |
| <b>RHU112514UC</b>            | Universal Head, End Cap                         | 1¼"       | 14' 0"         | 14' 2"         | 7.0                |
| <b>RHU112514UU</b>            | Universal Head, Universal Head                  | 1¼"       | 14' 0"         | 14' 4"         | 7.0                |
| <b>RHU112514UUT</b>           | Universal Head, Universal Head, Tie Wire Assist | 1¼"       | 14' 0"         | 14' 4"         | 7.2                |
| <b>RHU11506HFC</b>            | Threaded Ferrule, End Cap                       | 1½"       | 6' 6"          | 6' 1"          | 4.1                |
| <b>RHU11506HFF</b>            | Threaded Ferrule, Threaded Ferrule              | 1½"       | 6' 6"          | 6' 2"          | 4.4                |
| <b>RHU115008UC</b>            | Universal Head, End Cap                         | 1½"       | 8' 0"          | 8' 2"          | 4.7                |
| <b>RHU115008UUH</b>           | Universal Head, Universal Head, Pole Hanger     | 1½"       | 8' 0"          | 8' 4"          | 4.9                |
| <b>RHU115008FC</b>            | Threaded Ferrule, End Cap                       | 1½"       | 8' 0"          | 8' 1"          | 4.9                |
| <b>RHU115008FF</b>            | Threaded Ferrule, Threaded Ferrule              | 1½"       | 8' 0"          | 8' 2"          | 5.2                |
| <b>RHU115010FF</b>            | Threaded Ferrule, Threaded Ferrule              | 1½"       | 10' 0"         | 10' 2"         | 6.3                |
| <b>RHU115010UU</b>            | Universal Head, Universal Head                  | 1½"       | 10' 0"         | 10' 4"         | 5.8                |
| <b>RHU115010UCH</b>           | Universal Head, End Cap, Pole Hanger            | 1½"       | 10' 0"         | 10' 2"         | 6.0                |
| <b>RHU115010UUH</b>           | Universal Head, Universal Head, Pole Hanger     | 1½"       | 10' 0"         | 10' 4"         | 6.0                |
| <b>RHU115012UU</b>            | Universal Head, Universal Head                  | 1½"       | 12' 0"         | 12' 4"         | 6.9                |
| <b>RHU115012UCH</b>           | Universal Head, End Cap, Pole Hanger            | 1½"       | 12' 0"         | 12' 2"         | 7.1                |
| <b>RHU115012UUH</b>           | Universal Head, Universal Head, Pole Hanger     | 1½"       | 12' 0"         | 12' 4"         | 7.1                |
| <b>RHU115014UU</b>            | Universal Head, Universal Head                  | 1½"       | 14' 0"         | 14' 4"         | 8.0                |
| <b>RHU115014UCH</b>           | Universal Head, End Cap, Pole Hanger            | 1½"       | 14' 0"         | 14' 2"         | 8.2                |
| <b>RHU115014UUH</b>           | Universal Head, Universal Head, Pole Hanger     | 1½"       | 14' 0"         | 14' 4"         | 8.2                |
| <b>RHU115016UCH</b>           | Universal Head, End Cap, Pole Hanger            | 1½"       | 16' 0"         | 16' 2"         | 9.2                |
| <b>RHU115018UCH</b>           | Universal Head, End Cap, Pole Hanger            | 1½"       | 18' 0"         | 18' 2"         | 10.3               |

- ① Universal Head (U)
- ② Pole Hanger (H)
- ③ Tie Wire Assist (T)
- ④ Threaded Ferrule (F)
- ⑤ End Cap (C)



## One-Piece Universal Hotsticks Accessories

| UNIVERSAL HOTSTICKS ACCESSORIES |       |                                                   |           |                |
|---------------------------------|-------|---------------------------------------------------|-----------|----------------|
| Catalog Nº                      | Photo | Fittings / Description                            | Pole Dia. | Approx. Weight |
| <b>RHAL4455</b>                 | ①     | Universal Head with Wing-Bolt                     | 1¼"       | 4.2 oz.        |
| <b>RHAL4455A</b>                | ①     | Universal Head with Wing-Bolt                     | 1½"       | 5.4 oz.        |
| <b>UB-125</b>                   | -     | Wing-Bolt, Thread is 1¼" Long with 5/16-18 thread | NA        | 0.6 oz.        |
| <b>R1760-5</b>                  | ②     | Pole Hanger with Band                             | 1¼" & 1½" | 3.6 oz.        |
| <b>RPTW-125</b>                 | ③     | Tie Wire Assist with 1¼" Mounting Screws          | 1¼"       | 2.6 oz.        |
| <b>RPTW-150</b>                 | ③     | Tie Wire Assist with 1½" Mounting Screws          | 1½"       | 2.7 oz.        |
| <b>RP4EFG</b>                   | ④     | Threaded Ferrule Head                             | 1¼"       | 2.5 oz.        |
| <b>RP5EFG</b>                   | ④     | Threaded Ferrule Head                             | 1½"       | 5.3 oz.        |
| <b>RBBG-32</b>                  | ⑤     | Molded End Cap                                    | 1¼"       | 1.6 oz.        |
| <b>RBBG-38</b>                  | ⑤     | Molded End Cap                                    | 1½"       | 2.7 oz.        |



①



②



③



④



⑤

- ① Universal Head (U)
- ② Pole Hanger (H)
- ③ Tie Wire Assist (T)
- ④ Threaded Ferrule (F)
- ⑤ End Cap (C)

